

TEMPORARY

NO. 65402-T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office AUG 13 1999

Returned to applicant for correction _____

Corrected application filed _____

Map filed APR 01 1977 under 31266

The applicant **Earl Myers**, hereby make application for permission to change the **Manner of use and place of use** of water heretofore appropriated under Permit No. 31266 Certificate Record No. 10267, Book 35, Page 10267

1. The source of water is an underground source
2. The amount of water to be changed 0.1377 c.f.s. 67.439 acre feet annually
3. The water to be used for Quasi-Municipal Charter (Public) School & Landscaping
4. The water heretofore permitted for Irrigation
5. The water is to be diverted at the following point SE¼ SE¼ Section 31, T.24S., R.57E., M.D.B.&M., or at a point from which the E¼ corner of said section 31 bears N.2°52'26" E., a distance of 1,388.76 ft.
6. The existing permitted point of diversion is located within N/A
7. Proposed place of use The North half (N½) of the southeast quarter (SE¼) of the southeast quarter (SE¼) of the southeast quarter (SE¼) and the northeast quarter (NE¼) of the southeast quarter (SE¼) of the southeast quarter (SE¼) all in Sec. 31, Township 24 south, Range 57 east, M.D.M.
8. Existing place of use 8.7413 acres in the NE¼ SE¼ SE¼; and 4.7465 acres in the N¼ SE¼ SE¼ SE¼; both of section 31, T.24S., R.57E., M.D.B.&M.
9. Use will be from Jan 1 to Dec 31 of each year.
10. Use was permitted from Jan 1 to Dec 31 of each year.
11. Description of proposed works Holding tank, landscaping, drinking, pipes to classroom building
12. Estimated cost of works \$5000 & \$12,000.
13. Estimated time required to construct works 170 ft. deep, 14" diameter, 8^{5/8}" steel casing.
14. Estimated time required to complete the application of water to beneficial use 10 years
15. Remarks: High School (9-12), public facility with buildings, and landscaping with a ten year expansion plan. Use the map for Permit #31266.

By Dawn Haviland
s/Dawn Haviland
777 Quartz, PMB 5570
Sandy Valley, NV 89019

Compared jr/cmf jr/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the place of use and manner of use of the waters of an underground source as heretofore granted under Permit 31266, Certificate 10267 is issued subject to the terms and conditions imposed in said Permit 31266, Certificate 10267 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on August 26, 2000 at which time all rights herein granted shall revert to the right being changed by this temporary permit.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1377 cubic feet per second, but not to exceed 23.8 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

Proof of completion of work shall be filed before:

Water must be placed to beneficial use on or before:

Proof of the application of water to beneficial use shall be filed on or before:


Map in support of proof of beneficial use shall be filed on or before:

TEMPORARY

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set my hand and the seal of my office,

this 27th day of August, A.D. 1999


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

EXPIRED
DATE AUG 26 2000



100